Revision nr. 3 **EXAXOL CHEMICAL CORPORATION** Dated 8/22/2023 S652572 - Silver Nitrate 0.25N Printed on 8/23/2023 Page n. 1/12 Replaced revision:2 (Dated: 3/21/2023) Safety Data Sheet According to U.S.A. Federal Hazcom 2012 1. Identification 1.1. Product identifier S652572 Code: Silver Nitrate 0.25N Product name 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use For laboratory use only. 1.3. Details of the supplier of the safety data sheet **EXAXOL CHEMICAL CORPORATION** Name Full address 14325 60 TH ST N District and Country 33760 CLEARWATER - FLORIDA US Tel. 1-727-524-7732 Fax 1-727-532-8221 e-mail address info@exaxol.com 1.4. Emergency telephone number 1-800-255-3924 For urgent inquiries refer to ChemTel Inc. 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms: Serious eye damage, category 1

Skin irritation, category 2



Causes serious eye damage. Causes skin irritation.

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023

			Page n. 2/12
			Replaced revision:2 (Dated: 3/21/2023)
Signal words:	Danger		
Hazard statements:			
H318 H315	Causes serious eye damage. Causes skin irritation.		
Precautionary statements:			
Prevention: P280 P264	Wear protective gloves / eye protection / face protectio Wash skin thoroughly after handling.	n.	
Response: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several min rinsing.	nutes. Remove contact lenses, if p	present and easy to do. Continue
P310 P302+P352 P362+P364 Storage:	Immediately call a POISON CENTER / doctor. IF ON SKIN: wash with plenty of water. Take off contaminated clothing and wash it before reus	Se.	
 Disposal:			
2.2. Other hazards			
Environmental classificatior	as for Reg. (EU) 1272/2008 (CLP):		
The product is classified as	hazardous for environment pursuant to the provisions se	et forth in EC Regulation 1272/200	08 (CLP).
Classification and Hazard S Hazardous to the aquatic Hazardous to the aquatic	environment, acute toxicity, category 1 Ve	ery toxic to aquatic life. oxic to aquatic life with long lasting	effects.
Hazard pictograms:			
Signal words:	Warning		
Hazard statements:			
H400 H411	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Precautionary statements:			
Prevention: P273	Avoid release to the environment.		
Response: P391 Storage:	Collect spillage.		

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 3/12

Replaced revision:2 (Dated: 3/21/2023)

Disposal:

P501 Additional hazards Dispose of contents / container to an approved waste disposal plant.

Information not available

3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification:
WATER		
CAS 7732-18-5	95 ≤ x < 97	
EC 231-791-2		
INDEX -		
Silver Nitrate		
CAS 7761-88-8	4 ≤ x < 4,5	Oxidising solid, category 2 H272, Substance or mixture corrosive to metals, category 1 H290, Skin corrosion, category 1B H314, Serious eye damage, category 1 H318, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1000, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=1
EC 231-853-9		
INDEX 047-001-00-2		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 4/12

Replaced revision:2 (Dated: 3/21/2023)

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 5/12

Replaced revision:2 (Dated: 3/21/2023)

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration

and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

S652572 - Silver Nitrate 0.25N

Not available 1.03 Not available Not available Not available Not available Not available Not available Not available

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 6/12

Replaced revision:2 (Dated: 3/21/2023)

9.2. Other information

Information not available

10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Silver Nitrate

Decomposes on contact with: light.

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

Silver Nitrate

Avoid exposure to: light.

10.5. Incompatible materials

Silver Nitrate

Incompatible with: strong reducing agents, alcohols, ammonia, magnesium, strong bases.

10.6. Hazardous decomposition products

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023 Printed on 8/23/2023

Page n. 7/12

Replaced revision:2 (Dated: 3/21/2023)

Information not available

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

Silver Nitrate

LD50 (Oral) 1173 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 8/12

Replaced revision:2 (Dated: 3/21/2023)

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. **12.1. Toxicity**

LC50 - for Fish	0,006 mg/l/96h Oncorhynchus mykiss (rainbow trout)
EC50 - for Crustacea	0,0006 mg/l/48h Daphnia magna (water flea)
Chronic NOEC for Fish	0,108 mg/l Oncorhynchus mykiss (rainbow trout)

12.2. Persistence and degradability

Information not available

Silver Nitrate

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 9/12

Replaced revision:2 (Dated: 3/21/2023)

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

Unavailable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

<u>Clean Water Act –</u> Priority Pollutants:

No component(s) listed.

<u>Clean Water Act –</u> Toxic Pollutants:

7761-88-8

Silver Nitrate (Silver soluble salts)

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 10/12

Replaced revision:2 (Dated: 3/21/2023)

EPA List of Lists:		
313 Category Code:		
7761-88-8 EPCRA 302 EHS TPQ:	Silver Nitrate (Silver soluble salts)	
No component(s) listed.		
EPCRA 304 EHS RQ:		
No component(s) listed.		
CERCLA RQ:		
7761-88-8 EPCRA 313 TRI:	Silver Nitrate (Silver soluble salts)	
7761-88-8 RCRA Code:	Silver Nitrate (Silver soluble salts)	
No component(s) listed.		
CAA 112 (r) RMP TQ:		
No component(s) listed.		
State Regulations		
Massachussetts:		
7761-88-8 <u>Minnesota:</u>	Silver Nitrate (Silver soluble salts)	
No component(s) listed.		
<u>New Jersey:</u>		
7761-88-8 <u>New York:</u>	Silver Nitrate (Silver soluble salts)	
7761-88-8 <u>Pennsylvania:</u>	Silver Nitrate (Silver soluble salts)	
7761-88-8 <u>California:</u>	Silver Nitrate (Silver soluble salts)	
7761-88-8 Proposition 65:	Silver Nitrate (Silver soluble salts)	
International Regulations		
1		

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 11/12

Replaced revision:2 (Dated: 3/21/2023)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code) GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- **REL:** Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value

S652572 - Silver Nitrate 0.25N

Revision nr. 3

Dated 8/22/2023

Printed on 8/23/2023 Page n. 12/12

Replaced revision:2 (Dated: 3/21/2023)

 TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TSCA: Toxic Substances Control Act TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds WHMIS: Workplace Hazardous Materials Information System. 	
GENERAL BIBLIOGRAPHY: - GHS rev. 3 - The Merck Index. 10th Edition - Handling Chemical Safety - Niosh - Registry of Toxic Effects of Chemical Substances - INRS - Fiche Toxicologique (toxicological sheet) - Patty - Industrial Hygiene and Toxicology - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition - ECHA website - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy - 6 NYCRR part 597 - Cal/OSHA website - California Safe Drinking Water and Toxic Enforcement Act EPA website - Hazard Comunication Standard (HCS 2012) - IARC website - Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act - Massachussetts 105 CMR Department of public health 670.000: "Right to Know" - Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know". - New Jersey Worker and Community Right to know Act N.J.S.A. - NTP. 2011. Report on Carcinogens, 12th Edition. - OSHA website - Pennsylvania, Hazardous Substance List, Chapter 323 Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. U thoroughness of provided information according to each specific use of the product.	
This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comp laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.	bly with the current health and safety
Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 14 / 16.	